

Saéz TLS 8020T

20 ton fast tornkran

Maxlyft: 20 ton

Kranarm längd: 80 m

Max lyfthöjd: 93,4 m

Stödben

Längd: 6 m

injektering 2,3 m









Bredd: 6 m

injektering 2,3 m



Lyftkapacitet

Saéz TLS 8020T

80	SL	15	20	25	30	35	39,3	40	45	50	55	60	65	70	75	80	m	
		10000	10000	10000	10000	10000	10000	9800	8539	7535	6717	6037	5464	4974	4550	4180	Kg	
		15	20	25	30	35	36,6	40	45	50	55	60	65	70	75	80	m	
		10000	10000	10000	10000	10000	10000	9030	7856	6922	6161	5528	4995	4539	4144	3800	Kg	
		15	20	25	30	35	35,7	40	45	50	55	60	65	70	75	80	m	
	10000	10000	10000	10000	10000	10000	8730	7556	6622	5861	5228	4695	4239	3844	3500	Kg		
	15	19,6	20	25	30	35	40	45	50	55	60	65	70	75	80	m		
	20000	20000	19605	15187	12293	10250	8730	7556	6622	5861	5228	4695	4239	3844	3500	Kg		
	SL	15	20	20,9	25	30	35	40	45	50	55	60	65	70	75	80		m
	20000	20000	20000	16339	13246	11063	9439	8185	7186	6373	5697	5127	4639	4218	3850	Kg		
SL	15	20	20,9	25	30	35	40	45	50	55	60	65	70	75	80	m		
20000	20000	20000	16339	13246	11063	9439	8185	7186	6373	5697	5127	4639	4218	3850	Kg			
75	SL	15	20	25	30	35	40	45	45,5	50	55	60	65	70	75	m		
		10000	10000	10000	10000	10000	10000	10000	10000	8969	8018	7228	6562	5992	5500	Kg		
		15	20	25	30	35	40	42,2	45	50	55	60	65	70	75	m		
		10000	10000	10000	10000	10000	10000	10000	9295	8214	7333	6601	5984	5456	5000	Kg		
		15	20	25	30	35	40	41,1	45	50	55	60	65	70	75	m		
	10000	10000	10000	10000	10000	10000	10000	8995	7914	7033	6301	5684	5156	4700	Kg			
	15	20	22,5	25	30	35	40	45	50	55	60	65	70	75	m			
	20000	20000	20000	17825	14475	12111	10353	8995	7914	7033	6301	5684	5156	4700	Kg			
	SL	15	20	24,1	25	30	35	40	45	50	55	60	65	70	75		m	
	20000	20000	20000	19274	15675	13134	11245	9785	8624	7677	6891	6227	5660	5170	Kg			
SL	15	20	24,1	25	30	35	40	45	50	55	60	65	70	75	m			
20000	20000	20000	19274	15675	13134	11245	9785	8624	7677	6891	6227	5660	5170	Kg				
70	SL	15	20	25	30	35	40	45	50	50,5	55	60	65	70	m			
		10000	10000	10000	10000	10000	10000	10000	10000	10000	9075	8196	7454	6820	Kg			
		15	20	25	30	35	40	45	46,7	50	55	60	65	70	m			
		10000	10000	10000	10000	10000	10000	10000	10000	9261	8283	7471	6785	6200	Kg			
		15	20	25	30	35	40	45	45,6	50	55	60	65	70	m			
	10000	10000	10000	10000	10000	10000	10000	10000	8961	7983	7171	6485	5900	Kg				
	15	25	24,9	25	30	35	40	45	50	55	60	65	70	m				
	20000	20000	20000	19962	16244	13620	11669	10161	8961	7983	7171	6485	5900	Kg				
	SL	15	20	25	26,8	30	35	40	45	50	55	60	65	70		m		
	20000	20000	20000	20000	17648	14817	12713	11086	9792	8737	7861	7122	6490	Kg				
SL	15	20	25	26,8	30	35	40	45	50	55	60	65	70	m				
20000	20000	20000	20000	17648	14817	12713	11086	9792	8737	7861	7122	6490	Kg					
65	SL	15	20	25	30	35	40	45	50	54,4	55	60	65	m				
		10000	10000	10000	10000	10000	10000	10000	10000	10000	9888	8940	8140	Kg				
		15	20	25	30	35	40	45	50	50,2	55	60	65	m				
		10000	10000	10000	10000	10000	10000	10000	10000	10000	9011	8137	7400	Kg				
		15	20	25	30	35	40	45	49	50	55	60	65	m				
	10000	10000	10000	10000	10000	10000	10000	10000	9763	8711	7837	7100	Kg					
	15	20	25	26,7	30	35	40	45	50	55	60	65	m					
	20000	20000	20000	20000	17600	14776	12676	11054	9763	8711	7837	7100	Kg					
	SL	15	20	25	28,8	30	35	40	45	50	55	60	65		m			
	20000	20000	20000	20000	19166	16112	13842	12087	10690	9552	8607	7810	Kg					
SL	15	20	25	28,8	30	35	40	45	50	55	60	65	m					
20000	20000	20000	20000	19166	16112	13842	12087	10690	9552	8607	7810	Kg						

Lyfttabellerna fortsätter på nästa sida.

Radiostyrd
Elanslutning: 400 V/250 Amp

Lyftkapacitet

Saéz TLS 8020T

60	SL	15	20	25	30	35	40	45	50	55	57,7	60	m		
		10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	9570		Kg
		SL	15	20	25	30	35	40	45	50	53,2	55	60	m	
			10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	9625	8700	
		SL	15	20	25	30	35	40	45	50	51,8	55	60	m	
			10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	9325	8400	
SL	15	20	25	28,3	30	35	40	45	50	55	60	m			
	20000	20000	20000	20000	18744	15752	13528	11809	10440	9325	8400	Kg			
SL	15	20	25	30	30,6	35	40	45	50	55	60	m			
	20000	20000	20000	20000	20000	17210	14798	12935	11452	10243	9240	Kg			

55	SL	15	20	25	27,4	30	35	40	45	50	55	m		
		10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000		Kg
		SL	15	20	25	30	35	40	45	48,3	50	55	m	
			10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	
		SL	15	20	25	30	35	40	45	46,2	50	55	m	
			10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	
SL	15	20	25	30	31,1	35	40	45	50	55	m			
	20000	20000	20000	20000	20000	17776	15292	13372	11844	10600	Kg			
SL	15	20	25	30	34,1	35	40	45	50	55	m			
	20000	20000	20000	20000	20000	19460	16760	14673	13014	11660	Kg			

50	SL	15	20	25	30	35	40	45	50	m			
		10000	10000	10000	10000	10000	10000	10000	10000	10000		Kg	
		SL	15	20	25	30	35	40	45	47,57	50	m	
			10000	10000	10000	10000	10000	10000	10000	10000	10000	10000	
		SL	15	20	25	30	32,3	35	40	45	50	m	
			20000	20000	20000	20000	20000	18288	15738	13768	12200	Kg	
SL	15	20	25	28,3	30	35	40	45	50	m			
	20000	20000	20000	20000	20000	20000	17271	15126	13420	Kg			

45	SL	15	20	25	30	35	40	45	m			
		10000	10000	10000	10000	10000	10000	10000	10000		Kg	
		SL	15	20	25	30	35	40	45	m		
			10000	10000	10000	10000	10000	10000	10000	10000		Kg
		SL	15	20	25	30	33,5	35	40	45	m	
			20000	20000	20000	20000	20000	19105	16451	14400	Kg	
SL	15	20	25	30	35	36,5	40	45	m			
	20000	20000	20000	20000	20000	20000	18075	15840	Kg			